



**Sanna Valves KEV-S**


- Suitable for houses, offices etc.
- Can be opened and closed simply by pushing or pulling the wooden knob.

**KEV**


- Used for ventilation system with a low sound level even at high pressure drops.
- Manufactured from sheet steel painted white RAL9010 or RAL9016.
- The valve body is equipped with a cellular plastic gasket.
- The air flow can easily be adjusted by rotating the inner cone.
- Supplied with mounting ring.



| KEV | A mm | C mm |
|-----|------|------|
| 100 | 136  | 77   |
| 125 | 162  | 87   |
| 150 | 193  | 91   |
| 160 | 193  | 91   |
| 200 | 243  | 109  |


**KEV 100**



**KEV 125**








**Sanna Valves KSV-S**

- Suitable for houses, offices etc.
- Can be opened and closed simply by pushing or pulling the wooden knob.


**KSV**

- Used for ventilation system with a low sound level even at high pressure drops.
- Manufactured from sheet steel painted white RAL9010 or RAL9016.
- The valve body is equipped with a cellular plastic gasket.
- The air flow can easily be adjusted by rotating the inner cone.
- Supplied with mounting ring.


| KSV | A   | B  | C  |
|-----|-----|----|----|
| 100 | 145 | 67 | 18 |
| 125 | 175 | 76 | 19 |
| 160 | 218 | 80 | 20 |




**KSV 125**



**KSV 125 with sector plate**



**KSV 160**



**KSV 160 with sector plate**

